

The Effects of Restorative Justice on Offender Mortality, Health, and Welfare: A Ten Year Follow-up

Caroline M. Angel, Geoff C. Barnes, & Jordan M. Hyatt

Funding: Robert Wood Johnson Foundation Public Health and Law

Re-integrative Shaming Experiments (RISE) 1995-2000

- Four experiments in RISE, two with personal victims
 - Drink driving (over .08 Blood Alcohol Content) offenders any age ("PCA")
 - Juvenile property offending with personal victims (offenders under 18 years) ("JPP")
 - Juvenile shoplifting offences detected by shop security staff (offenders under 18 years) ("JPS")
 - Youth violent offences (offenders under 30 years) ("JVC")

Research Questions

- What is the impact of RJ vs. Court on offender mortality?
 - Data Sources:
 - Registry of Births, Deaths and Marriages (Department of Attorney General and Justice)
 - New South Wales & Australian Capital Territories
 - Assumed that all deaths were reported
- What is the impact on offender health and welfare?
 - Offender Interviews
 - All available in the JPP, JVC, JPS
 - Random sampling in the drink driving (PCA) experiment
 - Physical Health Outcomes
 - Mental Health Outcomes

Instrument

- Medical Outcomes Study (1989)
 - 2 year RAND
 - Designed to determine variations in patient outcome
 - Patients: 22,000 (Chronic Disease: Hypertension, Diabetes, Cardiovascular Disease, Depression)
 - Widely used (Short Form-36, Short-Form-12)
 - General Health
 - Role functioning
 - Feelings of Belonging
 - Anxiety
 - Psychological Distress
 - Depression/Behavioral Emotional Control

Definitions

- *General Health*: Ratings of current health, future health, and resistance to illness
- Role Functions:
 - (In)Ability to work: Unable to work due to health (dichotomous measure)
 - (In)Ability to do housework: Unable to do housework due to health (dichotomous measure)

In the past month...


- *Feelings of belonging*: Love relationships full, felt loved, felt close to people
- Anxiety: Nervous, tense, restless
- **Psychological Distress**: Very nervous, tense, anxious or worried, restless, fidgety, low spirits, downhearted
- Depression/Behavioral Emotional Control: Low spirits, downhearted, depressed, not in firm control of behavior, not emotionally stable

Results


All results 'intention-to-treat'

- Analyzed as randomized
 - Respondents are analyzed as part of the treatment arm assigned, regardless of treatment delivery
 - Preserves all the benefits of randomization
- Caveat:
 - When people died in the study, they could not be interviewed, biasing the samples to better health


Causes of Death




Mortality: JPP




Mortality: JPS




Mortality: JVC




Mortality: PCA



Survival Analysis: JVC



Survival Analysis: PCA



Years Since Random Assignment

Interview Response Rates


- Total of 1,413 cases in RISE
- First Interview Response rate (78%)
 - Court: 76%
 - Conference: 88%
- Ten Year Follow-up
 - 580 interviews completed (60%)

Response Rate (10 year)

	Total		Conf.	Court
JPP	150/249	(60%)	62%	58%
JPS	84/143	(59%)	52%	67%
JVC	68/121	(56%)	65%	47%
РСА	278/450	(62%)	62%	62%


General Health

(Higher scores indicate Better Outcomes)




Ability to Work

percentage of participants who *disagree* with the statement: "Does your health prevent you from working at a paying job?"




Ability to do Housework


percentage of participants who <u>disagree</u> with the statement: "Does your health keep you from working around the house?"




Feelings of Belonging




Anxiety



Psychological Distress



Depression/Behavioral Emotional Control



Summary

- All participants, comparing RJ vs. Court across the four trials, conference and court participants did not differ on the following health outcomes:
 - General Health
 - (In)Ability to work at a paying job
 - (In)Ability to work around the house
 - Feelings of Belonging
- Trend continued in JPP, JVC, PCA on measures of
 - Anxiety
 - Psychological Distress
 - Depression/Behavioral Emotional Control

JPS Trial

- Court participants
 - Greater levels of <u>anxiety</u> ("some" to "a good bit")
 than RJ participants ("a little bit" to "some")
 (p=0.08).
 - Greater levels of <u>psychological</u> distress ("a little bit" to "some") than RJ participants (p=0.06).
 - Great levels of <u>depression/behavioral emotional</u> <u>control</u> than RJ participants (p=0.05)

Preliminary Conclusions

- JVC experiment, court participants had <u>higher rates</u>
 <u>of mortality</u> than RJ offenders
- Not clear why differences on the psychological measures were found in the JPS trial (no personal victims)
- Overall, participants reported "good" to "very good" general health
 - Compare to other populations with data available
- No clear explanations yet to why these findings
- Examine attrition rates